L Number	Hits	Search Text	DB	Time stamp
1	310814	barrier	USPAT;	2003/04/18 13:59
1			US-PGPUB;	
1			EPO; JPO;	· '
			DERWENT;	
			IBM_TDB	1
2	771	secondary adj backing	USPAT;	2003/04/18 13:59
	'		US-PGPUB;	
)			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
3	311635	barrier wuth (secondary adj backing)	USPAT;	2003/04/18 13:59
			US-PGPUB;	
ł			EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
4	82495	impermeab\$	USPAT;	2003/04/18 14:00
			US-PGPUB;	
<b>J</b>			EPO; JPO;	
)			DERWENT;	
1			IBM_TDB	
5	375486	barrier impermeab\$	USPAT;	2003/04/18 14:00
}			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	0000/04/40 44 00
6	34	(secondary adj backing) with (barrier impermeab\$)	USPAT;	2003/04/18 14:00
			US-PGPUB;	
	[		EPO; JPO;	
	ļ		DERWENT;	
<b>\</b>			IBM_TDB	

DERWENT-ACC-NO: 2002-241195

DERWENT-WEEK:

200230

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE:

Liquid-impermeable floor covering

e.g., carpet, has

upper layer comprising primary

substrate and outer

covering, and lower layer composite

secondary backing

comprising breathable polymeric film

and secondary

substrate

INVENTOR: ELLIS, L E; LEWALLYN, M A

PATENT-ASSIGNEE: ELLIS L E[ELLII] , LEWALLYN M A[LEWAI]

PRIORITY-DATA: 2000US-0599003 (June 22, 2000)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

MAIN-IPC PAGES

WO 200198575 A1

December 27, 2001

036 D05C 017/02

AU 200171421 A

January 2, 2002

N/A

Ε

000 D05C 017/02

DESIGNATED-STATES: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR

LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE

SG SI SK SL TJ TM

TR TT TZ UA UG US UZ VN YU ZA ZW AT BE CH CY DE DK EA ES FI

FR GB GH GM GR IE

IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZW

APPLICATION-DATA:

PUB-NO

APPL-DESCRIPTOR

APPL-NO

APPL-DATE

WO 200198575A1

N/A

2001WO-US20150 June 22, 2001

AU 200171421A N/A

2001AU-0071421 June 22, 2001

AU 200171421A Based on WO 200198575 N/A

INT-CL (IPC): B32B007/04, B32B007/12, B32B027/12,

B32B027/20 ,

B32B031/04 , B32B031/06 , B32B031/08 , B32B031/12 ,

B32B031/20 ,

B32B031/26 , D05C017/02

ABSTRACTED-PUB-NO: WO 200198575A

## BASIC-ABSTRACT:

NOVELTY - A liquid-impermeable floor covering comprises an upper layer, and a

lower layer composite secondary backing. The upper layer comprises a primary

substrate and an outer covering attached to the primary substrate. The lower

layer composite secondary backing comprises a breathable, liquid-impermeable

and vapor-permeable polymeric film; and a secondary substrate.

DETAILED DESCRIPTION - A liquid-impermeable floor covering comprises an upper

layer (16), and a lower layer composite secondary backing (15). The upper

layer comprises a primary substrate (26) and an outer covering attached to the

primary substrate. The lower layer composite secondary backing comprises a

breathable polymeric film (12) and a secondary substrate (18). The polymeric

film, which is liquid-impermeable and vapor-permeable, has an upper surface

bonded to a lower surface of the secondary substrate. The lower surface of the

primary substrate is bonded to the upper surface of the secondary substrate.

An INDEPENDENT CLAIM is also included for a method of making the inventive floor covering.

USE - As liquid-impermeable floor covering e.g., rug or wall-to-wall carpet for domestic and industrial use.

ADVANTAGE - The inventive floor covering is easy and inexpensive to install,

fully recyclable, waterproof, breathable, and has improved physical

performance. It can be manufactured at lower energy requirement, higher

production speed, and lower requirement for floor space for the production equipment.

DESCRIPTION OF DRAWING(S) - The figure is a cross-sectional schematic representation of the floor covering.

Breathable polymeric film 12

Upper layer 16

Secondary substrate 18

Lower layer composite secondary backing 15

Adhesive layer 23

Primary substrate 26

Tufts 32, 34

Yarn 36

Hot melt adhesive 38

CHOSEN-DRAWING: Dwg.1/9

TITLE-TERMS: LIQUID IMPERMEABLE FLOOR COVER CARPET UPPER LAYER COMPRISE PRIMARY

SUBSTRATE OUTER COVER LOWER LAYER COMPOSITE SECONDARY BACKING

COMPRISE BREATH POLYMERISE FILM SECONDARY

SUBSTRATE

DERWENT-CLASS: A32 A94 F08 P73

```
CPI-CODES: A11-C01; A12-R03; F03-D01; F04-B02;
ENHANCED-POLYMER-INDEXING:
Polymer Index [1.1]
    018 ; P0000 ; S9999 S1070*R ; S9999 S1263 S1070 ; S9999
S1694 S1161
Polymer Index [1.2]
    018 ; ND01 ; ND07 ; K9416 ; K9574 K9483 ; K9676*R ;
K9701 K9676
    ; N9999 N5721*R ; N9999 N7192 N7023 ; Q9999 Q6848 Q6826
; Q9999
    Q6906 ; Q9999 Q7818*R ; N9999 N6906 ; B9999 B3747*R ;
B9999 B3509
    B3485 B3372
Polymer Index [1.3]
    018 ; K9712 K9676 ; Q9999 Q9132
Polymer Index [2.1]
    018 ; P0000
Polymer Index [2.2]
    018 ; ND01 ; ND07 ; K9416 ; K9574 K9483 ; K9676*R ;
K9701 K9676
    ; N9999 N5721*R ; N9999 N7192 N7023 ; Q9999 Q6848 Q6826
; Q9999
    Q6906 ; Q9999 Q7818*R ; N9999 N6906 ; B9999 B3747*R ;
B9999 B3509
    B3485 B3372
Polymer Index [2.3]
    018 ; K9518 K9483 ; B9999 B5447 B5414 B5403 B5276 ;
Q9999 Q6666
    06644
Polymer Index [3.1]
    018 ; P0000 ; S9999 S1285*R
Polymer Index [3.2]
    018 ; ND01 ; ND07 ; K9416 ; K9574 K9483 ; K9676*R ;
K9701 K9676
    ; N9999 N5721*R ; N9999 N7192 N7023 ; Q9999 Q6848 Q6826
; 09999
    Q6906 ; Q9999 Q7818*R ; N9999 N6906 ; B9999 B3747*R ;
B9999 B3509
    B3485 B3372
Polymer Index [3.3]
    018 ; K9712 K9676 ; K9518 K9483 ; B9999 B5447 B5414
B5403 B5276
    ; B9999 B4875 B4853 B4740 ; B9999 B4864 B4853 B4740 ;
Q9999 Q6780
Polymer Index [4.1]
    018 ; S9999 S1127 S1116 S1105 S1070 ; S9999 S1263 S1070
; S9999
```

```
S1183 S1161 S1070 ; P0884 P1978 P0839 H0293 F41 D01 D11
D10 D19
    D18 D31 D50 D63 D90 E21 E00
Polymer Index [4.2]
    018 ; R00964 G0044 G0033 G0022 D01 D02 D12 D10 D51 D53
    S9999 S1127 S1116 S1105 S1070 ; S9999 S1263 S1070 ;
S9999 S1183
    S1161 S1070 ; H0000 ; P1150 ; P1343
Polymer Index [4.3]
    018 ; S9999 S1127 S1116 S1105 S1070 ; S9999 S1263 S1070
; S9999
    S1183 S1161 S1070 ; P0635*R F70 D01
Polymer Index [4.4]
    018 ; R00326 G0044 G0033 G0022 D01 D02 D12 D10 D51 D53
D58 D82 ;
    R00964 G0044 G0033 G0022 D01 D02 D12 D10 D51 D53 D58
D83 ; S9999
    S1138 S1116 S1105 S1070 ; S9999 S1263 S1070 ; S9999
S1183 S1161
    S1070 ; H0000 ; P1150 ; P1161 ; P1343
Polymer Index [4.5]
    018 ; ND01 ; ND07 ; K9416 ; K9574 K9483 ; K9676*R ;
K9701 K9676
    ; N9999 N5721*R ; N9999 N7192 N7023 ; Q9999 Q6848 Q6826
; Q9999
    Q6906 ; Q9999 Q7818*R ; N9999 N6906 ; B9999 B3747*R ;
B9999 B3509
    B3485 B3372
Polymer Index [4.6]
    018 ; B9999 B5447 B5414 B5403 B5276 ; B9999 B5607 B5572
; Q9999
    Q9132
SECONDARY-ACC-NO:
CPI Secondary Accession Numbers: C2002-072464
Non-CPI Secondary Accession Numbers: N2002-186297
```

DERWENT-ACC-NO:

1996-354567

DERWENT-WEEK:

199821

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE:

Mfg. tufted carpet with liq.

pervious prim. and

impervious sec. backing - comprising

applying and

contacting adhesive, applying

continuous coating of

hydrophobic polymeric latex, and

drying carpet and latex

INVENTOR: MATERNIAK, J M; MURPHY, P M; VINOD, Y V;
MATERNIAK, J; VINOD, Y

PATENT-ASSIGNEE: DU PONT DE NEMOURS & CO E I[DUPO]

PRIORITY-DATA: 1995US-0539386 (October 5, 1995), 1995US-0373997 (January 18,

1995)

PATENT-FAMILY:

PUE	3-NO		PUB-DATE	
LANGUAGE		PAGES	MAIN-IPC	
WO	9622414 A1		July 25, 1996	E
	032	D06N	007/00	
JP	10502977 W		March 17, 1998	N/A
	030	D06N	007/00	
ΑU	9646550 A		August 7, 1996	N/A
	000	D06N	007/00	
ΕP	804645 A1		November 5, 1997	E
	000	D06N	007/00	

DESIGNATED-STATES: AU CA CN JP AT BE CH DE DK ES FR GB GR IE IT LU MC NL PT SE BE DE GB NL

CITED-DOCUMENTS: EP 266959; EP 384420 ; EP 662541 ; GB 1409068

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO	
APPL-DATE			
WO 9622414A1	N/A		
1996WO-US00329	January 11, 1996		
JP 10502977W	N/A		
1996JP-0522316	January 11, 1996		
JP 10502977W	N/A		
1996WO-US00329	January 11, 1996		
JP 10502977W	Based on	WO 9622414	
N/A			
AU 9646550A	N/A		
1996AU-0046550	January 11, 1996		
AU 9646550A	Based on	WO 9622414	
N/A			
EP 804645A1	N/A		
1996EP-0902122	January 11, 1996		
EP 804645A1	N/A		
1996WO-US00329	January 11, 1996		
EP 804645A1	Based on	WO 9622414	
N/A			

INT-CL (IPC): A47G027/02, B32B005/16, B32B005/22,
B32B005/26,
D06N007/00

ABSTRACTED-PUB-NO: WO 9622414A

## BASIC-ABSTRACT:

A method of constructing a carpet with a liq. permeable prim. backing and a

liq. impermeable sec. backing comprises: applying adhesive to a tufted prim.

backing material (2); contacting the adhesive layer with a sec. backing

material; applying to the outer layer of the sec. backing a continuous coating

of hydrophobic polymeric latex; and drying the latex coating and the carpet.

Also claimed is a method for making an impervious sec. backing, comprising

applying a sufficient amt. of hydrophobic polymeric latex to the underside of

the carpet. Also claimed is a carpet having tufted prim. backing which is

permeable to liqs. and a sec. backing having inner and outer surfaces, where

the tufted prim. backing is adhered to the inner surface of the sec. backing by means of an adhesive.

USE - A method for making a tufted carpet with a liq. pervious prim. and impervious secondary backing.

ADVANTAGE - Provides a liq. pervious tufted carpet with a liq. impervious backing layer. Reduces the permeability of liquids through the prim. backing material.

CHOSEN-DRAWING: Dwg.1/2

TITLE-TERMS: MANUFACTURE TUFT CARPET LIQUID PERVIOUS PRIMARY IMPERVIOUS SEC

BACKING COMPRISE APPLY CONTACT ADHESIVE APPLY CONTINUOUS COATING

HYDROPHOBIC POLYMERISE LATEX DRY CARPET LATEX

DERWENT-CLASS: A32 A84 F08 P27 P73

CPI-CODES: A11-B05; A11-C01C; A12-D02; F02-D;

UNLINKED-DERWENT-REGISTRY-NUMBERS: 1278U

ENHANCED-POLYMER-INDEXING:

Polymer Index [1.1]

018 ; R00708 G0102 G0022 D01 D02 D12 D10 D19 D18 D31 D51 D53 D58

D76 D88 ; R00806 G0828 G0817 D01 D02 D12 D10 D51 D54 D56 D58 D84

; H0022 H0011 ; S9999 S1025 S1014 ; H0124\*R ; M9999 M2062 ; P0328

; P1741 ; P0351 ; P0362

Polymer Index [1.2]

018 ; R00326 G0044 G0033 G0022 D01 D02 D12 D10 D51 D53 D58 D82 ;

R00835 G0566 G0022 D01 D11 D10 D12 D51 D53 D58 D63 D84 F41 F89 ;

H0022 H0011 ; S9999 S1025 S1014 ; P1150 ; P1310 Polymer Index [1.3]

018 ; G0339\*R G0260 G0022 D01 D12 D10 D26 D51 D53 D63 F41 F89 ;

H0000; H0011\*R; P0088\*R; S9999 S1025 S1014 Polymer Index [1.4]

```
018 ; ND01 ; ND07 ; B9999 B4864 B4853 B4740 ; B9999
B4875 B4853
    B4740 ; Q9999 Q6906
Polymer Index [1.5]
    018 ; K9449 ; Q9999 Q6644*R ; K9745*R
Polymer Index [1.6]
    018 ; R01278 D00 F44 C* 4A O* 6A Ca 2A ; A999 A237
Polymer Index [1.7]
    018 ; A999 A715 A691 ; A999 A260*R
Polymer Index [2.1]
    018 ; G0339*R G0260 G0022 D01 D12 D10 D26 D51 D53 D63
F41 F89 ;
    R00708 G0102 G0022 D01 D02 D12 D10 D19 D18 D31 D51 D53
D58 D76 D88
    ; S9999 S1025 S1014 ; H0022 H0011 ; P1741 ; P0088
Polymer Index [2.2]
    018 ; R00360 G0555 G0022 D01 D12 D10 D51 D53 D58 D69
D82 Cl 7A;
    R00806 G0828 G0817 D01 D02 D12 D10 D51 D54 D56 D58 D84
; H0022 H0011
    ; S9999 S1025 S1014 ; P0328
Polymer Index [2.3]
    018 ; R00708 G0102 G0022 D01 D02 D12 D10 D19 D18 D31
D51 D53 D58
    D76 D88 ; R00806 G0828 G0817 D01 D02 D12 D10 D51 D54
D56 D58 D84
    ; H0022 H0011 ; S9999 S1025 S1014 ; P0328 ; P1741 ;
P0351
Polymer Index [2.4]
    018 ; R00326 G0044 G0033 G0022 D01 D02 D12 D10 D51 D53
D58 D82 :
    R00835 G0566 G0022 D01 D11 D10 D12 D51 D53 D58 D63 D84
F41 F89 ;
    H0022 H0011 ; S9999 S1025 S1014 ; P1150 ; P1310
Polymer Index [2.5]
    018 ; G0339*R G0260 G0022 D01 D12 D10 D26 D51 D53 D63
F41 F89 ;
    H0000 ; H0011*R ; P0088*R ; S9999 S1025 S1014
Polymer Index [2.6]
    018 ; R01079 G0828 G0817 D01 D12 D10 D51 D54 D56 D58
D69 D84 Cl
    7A ; H0000 ; S9999 S1025 S1014 ; P0328 ; P0340
Polymer Index [2.7]
    018 ; H0124*R
Polymer Index [2.8]
    018 ; ND01 ; ND07 ; B9999 B4864 B4853 B4740 ; B9999
B4875 B4853
    B4740 ; Q9999 Q6906
```

```
Polymer Index [2.9]
    018 ; B9999 B3509 B3485 B3372 ; N9999 N6780*R N6655 ;
K9370 ; N9999
   N7147 N7034 N7023 ; K9676*R ; K9518 K9483 ; K9745*R ;
B9999 B5243*R
    B4740 ; Q9999 Q7114*R
Polymer Index [2.10]
    018 ; F* 7A ; A999 A453 A420
Polymer Index [3.1]
    018 ; P0635*R F70 D01 ; P0646 P1934 P0635 F70 D01 D11
D10 D50 D86
    ; S9999 S1070*R
Polymer Index [3.2]
    018 ; ND01 ; ND07 ; B9999 B4864 B4853 B4740 ; B9999
B4875 B4853
   B4740 ; Q9999 Q6906
Polymer Index [3.3]
    018 ; N9999 N5721*R
Polymer Index [4.1]
    018 ; R00964 G0044 G0033 G0022 D01 D02 D12 D10 D51 D53
D58 D83 ;
   H0000 ; S9999 S1194 S1161 S1070 ; P1150 ; P1343
Polymer Index [4.2]
    018 ; ND01 ; ND07 ; B9999 B4864 B4853 B4740 ; B9999
B4875 B4853
   B4740 ; Q9999 Q6906
Polymer Index [4.3]
    018 ; N9999 N7147 N7034 N7023 ; K9676*R ; K9483*R ;
K9574 K9483
    ; N9999 N5721*R
SECONDARY-ACC-NO:
```

CPI Secondary Accession Numbers: C1996-111795 Non-CPI Secondary Accession Numbers: N1996-298932